MARUTHI SCHOOL OF BANKING (MSB)

SO IT - WEB TECHNOLOGY (2017)

1.Which of the following provide additional information about HTML elements? 1.Headings 2.Paragraphs 3.Styles 4.Attributes	12.Which of the following specifies a short cut key to activate or focus an element? 1.class 2.hidden 3.draggable 4.access key
2.The method requests data from a specified source. 1.GET 2.POST 3.Both 1& 2 4.None of the above	13 specifies the tabbing order of an element. 1.class 2.hidden 3.draggable 4.tabindex
3.Symbol used at the beginning of the HERF text is	14.HTTP works as a protocol between a Client and Server. 1.request – response 2.Standard
4.Which of the following method converts the request connection to a transparent TCP/IP tunnel? 1.HEAD 2.PUT 3.OPTIONS 4.CONNECT	3.Both 1& 2 4.None of the above 15.Which of the following method has length restrictions? 1.GET 2.POST 3.Both 1& 2 4.None of the above
5.HTML is a subset of 1.SGMT 2.SGML 3.SGMD 4.None of the above	16 converts character into a format which can be transmitted over the Internet? 1.URL Encoding 2.URL Decoding 3.Both 1& 2 4.None of the above
6.The MIME text file is saved with 1.THM extension 2.HTML extension 3.HMT extension 4.None of the above	17. Which of the following method draws a "filled" rectangle?
7.SGML stands for 1.Standard General Mark Language 2.Security General Markup Language	1.rect() 2.clearRect() 3.StrokeRect() 4.fillRect()
3.Standard Generalized Markup Language 4.Standard Generalized Mark Language	18. Which is the standard response for successful HTTP requests? 1.202 Accepted 2.201 created
8.HTML tags are surrounded by 1.Square Brackets	3.200 OK 4. None of the above 19 creates an arc/curve between two
9.Extensible Markup Language (XML) tags are 1.Case Insensitive 2.Case Sensitive	tangents. 1.arc() 2.arcTo() 3.quadraticCurveTO() 4.None of the above
3.Both 1& 2 4.None of the above 10.Document Object Model(DOM) is a	20 sets or returns whether the audio/video should start playing as soon as it is loaded.
1. Character User Interface (CUI) 2. Application Programming Interface (API) 3. Both 1& 2 4. None of the above	1.audioTracks 2.autoplay 3.Controller 4.None of the above
11.The method submits data to be processed to a specified resource.	21. The default display value for most elements is 1. line 2. block 3.1 or 2
1.GET 2.POST 3.Both 1& 2 4.None of the above	4.None of the above 22.XHTML stands for 1 Extensible Hyper Text Markup I anguage

2.Extended Hyper Text Markup Language3.Expensive Hyper Text Markup Language4.Extensible Hyper Text Marked Language	3.Current Style Sheets4.Cascading Script Sheets
23. The attributes and elements of XHTML are must be in	34. Which of the following message denotes the requested page has moved temporarily to a new URL?
1.Upper-case 2.Lower-case	1.202 Accepted 2.201 created
3.Both 1 and 2 4.None of the above	3.301 Moved Permanently 4.302 Found
24. Which of the following message denotes the requested page has moved to a new URL? 1.202 Accepted 2.201 created 3.302 Found 4.301 Moved Permanently	35.In CSS, property is used to control the behaviour of floating elements? 1.float
25. Which of the following method uploads a representation of the specified URI? 1. HEAD 2.PUT 3. DELETE 4. OPTIONS	36.Which method returns the HTTP methods that the server supports? 1.HEAD 2.PUT 3.DELETE 4.OPTIONS
1.11E/AD 2.1 01 3.DELETE 4.01 110103	1.11E/AD 2.1 01 3.0ELETE 4.01 110NS
26. Which is a uniform naming scheme for locating resources on the web?	37.In Java Script, the single line comment is denoted as
1.Uniform Resource Identifier(URI)	1.// 2./*/ 3./* */ 4. None of the above
2.HTTP 3.Resource Name 4.None of the above	28 Java Sarint can be used to greate
4. Notice of the above	38.Java Script can be used to create 1.cookies 2.spam 3.cache
27. Which of the following method cannot be bookmarked?	4. None of the above
1.GET 2.POST 3.Both 1 and 2	39. Which determines whether a value is a finite
4. None of the above	number?
	1.Number() 2.isNaN() 3.isFinite()
28. Which of the following property returns the	4. None of the above
length of the current audio/video? 1.error 2.loop 3.ended 4.duration	40. How many types of pop up boxes are used in
7.enor 2.100p 5.ended 4.dulation	JavaScript?
29. Which method pauses the currently playing the	1.One 2.Two 3.Four 4.Three
audio/video?	
1.play() 2.pause () 3. load()	41. Which of the following is used to specify the
4. None of the above	layout of web pages?
20 VIITMI in almost in land	1.HTML 2.CSS 3.Java Script
30.XHTML is almost similar to	4 N
	4. None of the above
1.HTML 2.XML 3.HTTP 4 None of the above	
4. None of the above	42.In Java Script, the multi-line comment is denoted
4. None of the above	42.In Java Script, the multi-line comment is denoted as
4.None of the above 31.Which of the following property sets or returns the CORS settings of the audio/video? 1.controls 2.crossOrigin 3.currentSrc	42.In Java Script, the multi-line comment is denoted as
4.None of the above 31.Which of the following property sets or returns the CORS settings of the audio/video?	42.In Java Script, the multi-line comment is denoted as
4.None of the above 31.Which of the following property sets or returns the CORS settings of the audio/video? 1.controls 2.crossOrigin 3.currentSrc 4.None of the above	42.In Java Script, the multi-line comment is denoted as
4.None of the above 31.Which of the following property sets or returns the CORS settings of the audio/video? 1.controls 2.crossOrigin 3.currentSrc 4.None of the above 32.The Javascript allows	42.In Java Script, the multi-line comment is denoted as
4.None of the above 31.Which of the following property sets or returns the CORS settings of the audio/video? 1.controls 2.crossOrigin 3.currentSrc 4.None of the above	42.In Java Script, the multi-line comment is denoted as
4.None of the above 31.Which of the following property sets or returns the CORS settings of the audio/video? 1.controls 2.crossOrigin 3.currentSrc 4.None of the above 32.The Javascript allows 1.single line comment 2.multi line comment	42.In Java Script, the multi-line comment is denoted as
4.None of the above 31.Which of the following property sets or returns the CORS settings of the audio/video? 1.controls 2.crossOrigin 3.currentSrc 4.None of the above 32.The Javascript allows 1.single line comment 2.multi line comment 3.Both1& 2 4.None of the above 33.CSS Stands for	42.In Java Script, the multi-line comment is denoted as
4.None of the above 31.Which of the following property sets or returns the CORS settings of the audio/video? 1.controls 2.crossOrigin 3.currentSrc 4.None of the above 32.The Javascript allows 1.single line comment 2.multi line comment 3.Both1& 2 4.None of the above	42.In Java Script, the multi-line comment is denoted as

1.try 4.None of the a	2.catch above	3.Both 1& 2	1.slice() 4.search()	2.substr	r() 3.lastIn	ndex()
	ontent o	s very useful for getting or of HTML elements? 2.outerHTML	be fulfilled du	ie to the		equest can not
3.Both1& 2		4. None of the above			4.404 Not Four	
object's value	to a nur		a string.	-		ns a number as
4.None of the		N() 3.isFinite()	1.valueOf() 3.toExponenti		2.toPrecision() 4.toString()	
could not be		denotes the requested page and it may be available in	around conten	nt?		generate space
future? 1.202 Accepted 3.403 Forbidde		2.201 created 4.404 Not Found	1.CSS Border 3.CSS Paddin		2.CSS Margins 4.None of the a	
10 Which of th		ving method can be cached?	60.In CSS,text around in		property can be	e used to wrap
	2.POS	South 1 and 2		2.elear	3.Both1	& 2
50. Which can and save bandy		the number of server requests	61.In CSS, capitalization		_ property	controls the
		2.Image Opacity	1.text-decorat	ion	2.text-indent	
3.1mage Sprit	es	4. None of the above	3.text-shadow	/	4.text-transfor	rm
51. Which of t and transport d		owing was designed to store	62.Which pro around elemen		are used to g	generate space
1.Java Script 4.None of the a		L 3.XML	1.CSS Border 3.CSS Paddin		2.CSS Margin 4.None of the a	
		as no predefined tags.				s or resets one
1.XML	2.HTM		or more count	ters.		
4. None of the	above	4 0	1.Content		2.Counter-incre	
53 m	acca ca	denotes the request has been	3.Counter-re	eset	4. None of the a	ibove
fulfilled and a	- 1	-	64.	method	replaces a s	pecified value
1.202 Accepted		2.201 created	with another v			Position (mino
3.403 Forbidde		4.404 Not Found	1.CharCodeA	t()	2.CharAt()	
5.4.C 11	Q. 1. 4	(000)	3.Concat()		4.replace()	
_	•	Sheets(CSS) can be used to	(5 I., I C	•4	41 14	
create an		2.Image Opacity	a number.	ıpt,	_ method return	ns a number as
3.Image Sprite	•	4. None of the above	1.valueOf()		2.toPrecision()	
5.mage Sprite	.5	in tone of the above	3.toExponenti		4.toString()	
55.JavaScript	can cha	ange all the in	1	V	2.	
the web page.		_	66.Which me	thod is u	used to replace	an element to
1.HTML eleme					ument Object N	
3.HTML attrib	outes	4.All of the above	1.removeChild 3.Both1&2		2.replaceChild 4.None of the a	
56.In JS. the		method returns the index of	3.D0III & 2		+.INOTHE OF THE ?	IDOVE
		a specified text in a string.	67. Which of attribute?	the follo	owing attribute	e is a boolean

1.autocomplete	2.placeholder	79. Any part of the graphic that is not included in		
3.step	4.autofocus	another hot zone is considered to be part of 1.rect 2.point 3.default 4.polygon		
68. Which of the fol	llowing message denotes the			
server is currently una	available?	80.SAX stands for		
1.500 Internal server	Error 2.501 Not Implemented	1.Simple Application for XML		
3.503 Service Unava	ilable	2.Smart Application for XML		
4.504 Gateway Time	out	3.Smart API for XML		
•		4.Simple API for XML		
69. Which of the fol	lowing is used to define the			
content of web pages?	?	81. Which of the following is not an advantage of		
1.HTML 2.CSS	3.Java Script	CSS?		
4. None of the above		1.Easy Maintenance 2.Offline Browsing		
		3. Multiple Device Compatibility		
	returns a number, converted	4.Platform Dependent		
from its argument.	2. 5.	001 000 111 14 14 1		
1.parseFloat()	2.toPrecision()	82.In CSS, which cursor indicates that an edge of a		
3.toExponential()	4.number()	box is to be moved down?		
71 William - 641 - 6	2-11	1.se-resize 2.sw-resize 3.w-resize		
	following objects is passed to a	4.s-resize		
	of its properties is set via a JSP	02 Which = CA / CA1		
action?	2 HTTDC avvil of D a granger	83. Which of the following is a front-end framework		
-	2.HTTPServletRequest	for web development?		
3.ServletResponse	4.HTTPServletResponse	1.Ruby 2.Bootstrap 3.PHP 4.Python		
72. Which of the fo	llowing are used by servlet	84.An alternative of JavaScript on windows		
containers to set Javal	•	platform is		
	fields 3.memory 4.disk	1.VBScript 2.ASP.NET 3.JSP 4.PHP		
		•		
73 header	gives the MIME type of the	85.AJAX stands for		
response document.		1.Advanced JSP and XML		
1.Content Encoding	2.Content Language	2. Asynchronous JSP and XML		
3.Content Length	4.Content Type	3.Advanced JS and XML		
	A A A	4.Asynchronous JavaScript and XML		
74.The term "Hyperte				
1.Hypermedia	2.Non-Sequential writing	86. Which of the following is a boolean cookie		
3.Blinking text	4. None of the Above	attribute in JS?		
75 WH. 1 C. 1 C. 1	TOP I WILL	1.domain 2.lookup 3.secure		
	lowing is not a JSP Implicit	4.None of the Above		
Object? 1.In 2.Out	3.Page 4.Response	97 mathod raturns the abarrator at a		
1.111 2.Out	3.Page 4.Response	87 method returns the character at a specified index in a string?		
76. Where are cookies	stored?	<u>-</u>		
1.on the server	2.In Web.xml	1.CharCodeAt() 2.substring() 3.charAt() 4.None of the Above		
3.On the Client	4.In HTML	3.CharAu) 4.None of the Above		
3.011 the Chefit	4.III 111 ML	88. Which of the following is used to describe		
77.Document Type D	eclaration includes	elements in CSS?		
77. Document Type Declaration includes 1. Element Declarations		1.Selectors 2.Protectors 3.Both 1& 2		
2. Attribute Declarations		4. None of the Above		
3.Entity Declarations				
4.All of the Above		89. What are the events generated by the Node		
		objects called?		
78.The XML DOM o	bject is	1.generators 2.highevents 3.emitters		
	2.Comment Reference	4. None of the Above		
3.Both 1and 2	4.All of the Above			

91.In CSS, you can override precedence rules by adding theproperty to a style declaration.	90. Which of the follo 1.TCP 2.HT	wing is a stateless protocol? TP 3.HTML 4.XHTML	<pre>1.setLayout() 3.setContainerLayout()</pre>	2.Layout() 4.setConLayout()
4.Common Gateway Interface capability to implement a growable array of objects? 1.Array class 3.Container class 4.Vector class 4.Vector class 3.Container class 4.Vector class 4.Vector class 4.Vector class 5. None of these Common Gateway Interface (CGI) offers a standard protocol for web servers to interface with executable programs running on a server that generate web pages dynamically. 102.URL consists which of the following to locate information on the WWW 1.Host Computer 3.Optional Port Number 4.Method 5. All of these URL consists Method, Host Computer, Path name and Optioral Port Number to locate information or the WWW 1.Drimitive classes 3.Boxing classes 4.Wrapper classes 3.Boxing classes 4.Wrapper classes 3.Boxing classes 4.Wrapper classes 4.Wr	adding the prop 1.!override 2.!mai	erty to a style declaration.	creating and handling dyna 1.Command Line Interface 2.Graphical User Interface	amic web documents?
93.Which XML extension is a standard way to describe how to transform the structure of an XML document with a different structure? 1.tree structure	capability to imple objects? 1.Array class	ement a growable array of 2.GrowAbleArray class	4.Common Gateway Inte f 5. None of these Common Gateway Interface protocol for web serve executable programs run	ce (CGI) offers a standard ters to interface with uning on a server that
94.In JSP, the classes that allow primitive types to be accessed as objects are known as	describe how to trans document into an XI structure? 1.tree structure	sform the structure of an XML ML document with a different	102.URL consists which of information on the WWW 1.Host Computer 3.Optional Port Number 5. All of these	of the following to locate 2. Path name 4. Method
95.Which XML-based registry is intended as on online Internet registry for businesses worldwide? 1.Universal Plug and Play(UPnP) 2.UDF 3.Uniform Resource Locator(URL) 4.Universal Description Discovery and Integration(UDDI) 96.Which language is considered to be extensible because of its unlimited and self-defining markup symbols? 1.HTML 2.XHTML 3.XML 4.None of the Above 97.In JSP, a Canvas object provides access to a Graphics object via one of its method called	be accessed as object 1.Primitive classes	s are known as 2.Object classes	and Optional Port Number the WWW. 103 Which of the following	to locate information on
4.Universal Description Discovery and Integration(UDDI) 96.Which language is considered to be extensible because of its unlimited and self-defining markup symbols? 1.HTML 2.XHTML 3.XML 4.None of the Above 97.In JSP, a Canvas object provides access to a Graphics object via one of its method called	online Internet registr 1.Universal Plug and 2.UDF	ry for businesses worldwide? Play(UPnP)	2.HTML 4.SMTP 5. None of the HTTP is main protocol use	hese
96. Which language is considered to be extensible because of its unlimited and self-defining markup symbols? 1.HTML 2.XHTML 3.XML 4.None of the Above 97. In JSP, a Canvas object provides access to a Graphics object via one of its method called 1.getCanvas() 2.getGraphics() 3.Domain Server 4.Proxy Server 5. Communications Server A proxy server is a computer that keeps copies of responses to recent requests. It acts as an intermediary for requests from clients seeking resources from other servers. 105.A CGI program can be written in which of the following languages? 1.C 2.Perl 3.Java 4.C++ 5. All of these A CGI program can be written in any programming language, including C, Perl, Java, or Visual Basic.	4.Universal Descript		responses to recent request	s?
Graphics object via one of its method called	because of its unlimsymbols? 1.HTML 2.XH 4.None of the Above	ited and self-defining markup	3.Domain Server 4.Pr 5. Communications Server A proxy server is a comp responses to recent re intermediary for request resources from other serve	oxy Server outer that keeps copies of quests. It acts as an s from clients seeking
98.HTML defines levels of headings. 1.Five 2.Four 3.Six 4.Three language, including C, Perl, Java, or Visual Basic.	Graphics object via o 1.getCanvas()	ne of its method called 2.getGraphics()	105.A CGI program can b folllowing languages? 1.C 2.Perl 3.Ja	
99. Which method of the Component class is used to 106.HTML is a language used to create		<u> </u>	A CGI program can be wri	
set the position and size of a component in JSP? 1.setSize() 2.setPositionSize() 3.setPosition() 4.setBounds() 4.All of these 5. None of these HTML is a language used to create static web pages. 100.What method is used to specify a container's layout in JSP?	set the position and si 1.setSize() 3.setPosition() 100.What method is	ize of a component in JSP? 2.setPositionSize() 4.setBounds()	web pages. 1.Static 2.Dynamic 4.All of these 5. None of t HTML is a language used	3.Active

107. Which server maintains a directory of domain names and their matching IP addresses?

1. Application server

2.Database Server

3.Domain name Server

4.Proxy Server

5. Communications Server

Domain name server maintains a directory of

domain names and their matching IP addresses

108. Which of the following method requests a document from the server?

1.HEAD

2.TRACE

3.POST

4.GET

5. None of these

GET – method requests a document from the server.

109. Which of the following method used to send a document from the server to the client?

1.HEAD

2.PUT

3.POST

4.GET

5. None of these

PUT method used to send a document from the server to the client.

110.HTTP functions as a combination of FTP and?

1.FTP

2.HTML

3.TCP

4.SMTP

5. None of these

HTTP functions as a combination of FTP and SMTP.

111. Which is a quality assurance program used to check HTML markup elements for syntax errors?

1.HTML Checker

2.HTML Debugging

3.HTML Validator 4.All of these

5. None of these

HTML Validator is a quality assurance program used to check HTML markup elements for syntax errors

is a characteristic of 112.In the HTML, _ a page element, such as a font.

1.Tags

2.Elements

3.Attributes

4.Name Spaces

5. All of these

In the HTML, attributes is a characteristic of a page element, such as a font.

113._____ is a Web page derived from multiple sources with a defined order of precedence where the definitions of any style element conflict.

1.XML

2.HTML

3.HTTP

4.JSP

5. CSS

CSS is a Web page derived from multiple sources with a defined order of precedence where the definitions of any style element conflict. CSS is used to define styles for your web pages

114.SOAP Stands for?

1. Simple Object Access Protocol

- 2.Standard Object Access Protocol
- 3. Similar Object Access Protocol
- 4. Stationary Object Access Protocol
- 5. Super Object Access Protocol

A proxy server is a computer that keeps copies of responses to recent requests. It acts as an intermediary for requests from clients seeking resources from other servers.

115. Which is an XML-based registry for businesses worldwide to list themselves on the Internet?

1.UPP

2.UDDI

3.URL

4.UDF

5. None of these

UDDI is an XML-based registry for businesses worldwide to list themselves on the Internet

116.UDDI Stands for

- 1. Uniform Description, Derivation, and Integration
- 2. Universal Description, Discovery, and Interrupt
- 3. Uniform Description, Discovery, and Integration

4. Universal Description, Discovery, and Integration

5. Universal Description, Derivation, and Interrupt UDDI Universal Description, Discovery, and Integration

117. Which is an open-source server-side web application framework designed by Microsoft to produce dynamic web pages?

1.HTML

2.XML

3.JSP

4.ASP

5. None of these

ASP is an open-source server-side web application framework designed by Microsoft to produce dynamic web pages

118. Which of the following is a declarative programming language written in XML?

1.HTML

2.XSLT

3.JSP

4.ASP

5. None of these

XSLT is a declarative programming language written in XML

119. Which of the following is a W3C standard XML Query language?

1.HTML

2.XSLT

3.JSP

4.ASP 5. XOUERY

XQUERY is a W3C standard XML Query language.

120. World Wide Web is based on?

1.Server architecture

2.Client architecture

3.Server-Client architecture4.3 tier architecture

5. None of these

World Wide Web is based on Server-Client architecture

- 121. Which of the following is a set of procedures to recover and protect a business IT infrastructure in the event of a disaster?
- 1. Business Resumption Plan
- 2.Occupant Emergency Plan
- 3. Continuity of Operations Plan
- 4. Incident Management Plan

5. Disaster Recovery Plan

Disaster Recovery Plan is a documented process or set of procedures to recover and protect a business IT infrastructure in the event of a disaster.

- 122. Which is a physical infrastructure through which Internet service providers (ISPs) and Content Delivery Networks (CDNs) exchange Internet traffic between their networks?
- 1.Intranet Exchange Point
- 2.Extranet Exchange Point

3.Internet Exchange Point

- 4.All of these
- 5. None of these

Internet Exchange Point physical is a infrastructure through which Internet service providers (ISPs) and Content Delivery Networks(CDNs) exchange Internet traffic between their networks.

- 123. Which of the following is a system of distributed servers that deliver web pages and other web content to a user based on the geographic locations of the user?
- 1.Intranet Exchange Point
- 2.Extranet Exchange Point
- 3.Internet Exchange Point

4. Content Delivery Network (CDN

5. None of these

Content Delivery Network (CDN) is a system of distributed servers that deliver web pages and other web content to a user based on the geographic locations of the user, the origin of the web page and a content delivery server.

124.GIF images are compressed using which of the following lossless data compression technique to reduce the file size without degrading the visual quality?

2.Lempel-Ziv-Oberhumer 1.DEFLATE

3.Lempel–Ziv–Welch (LZW)

- 4.Lempel–Ziv–Oberhumer (LZO)
- 5. None of these

GIF images are compressed using Lempel-Ziv-Welch (LZW) lossless data compression technique to reduce the file size without degrading the visual quality

125. Which of the following refers to the study of cipher text with a view to find impacts in them that will permit retrieval of the plaintext from the ciphertext, without necessarily knowing the key or the algorithm?

1.Encryption 2. Cryptanalysis

3.Decryptanalysis 4.Decryption

5. None of these

Cryptanalysis refers to the study of cipher text with a view to find impacts in them that will permit retrieval of the plain text from the cipher text, without necessarily knowing the key or the algorithm

126. Which of the following is a small program embedded in a GIF Image?

2.Spam 1.Web bug

3.Spyware

4.Cookie 5. None of these

Web bug is a small program embedded in a GIF Image.

127. Which is a commercial disaster recovery service that allows a business to continue computer and network operations in the event of a computer or equipment disaster?

1.Hot site 2.Cold Site 3.Warm Site

4. All of these 5. None of these

Hot site is a commercial disaster recovery service that allows a business to continue computer and network operations in the event of a computer or equipment disaster

128. Which of the following is less expensive, but it takes longer to get an enterprise in full operation after the disaster.?

2.Cold Site 3.Warm Site 1.Hot site

4.All of these 5. None of these

Cold site is less expensive, but it takes longer to get an enterprise in full operation after the disaster.

129. Which of the following is backup site between a two major backup sites?

3.Warm Site 1.Hot site 2.Cold Site

4.All of these 5. None of these

Warm Site is a backup site between a two major backup sites

130. Which is a duplicate of the original site of the organization, with full computer systems and also near-complete backups of user data?

1.Hot site 2.Cold Site 3.Warm Site

4.All of these 5. None of these

Hot Site is a duplicate of the original site of the organization, with full computer systems and also near-complete backups of user data

131. Which of the following is the part of a uniform resource locator (URL)?

1.Schema 2.Query String 3.Element

5. None of these 4. Attribute

Query String is the part of a uniform resource locator (URL).It includes fields added to a base URL by a Web browser or other client application.

is the determination of a domain name associated with an IP address via querying DNS.

1.Forward DNS lookup 2. Reverse DNS lookup

3. Upward DNS lookup 4. Downward DNS lookup 5. None of these

Reverse DNS lookup is the determination of a domain name associated with an IP address via querying DNS.

133._____ is the determination of an IP address from a domain name.

1.Forward DNS lookup 2.Reverse DNS lookup

3. Upward DNS lookup 4. Downward DNS lookup

5. None of these

Forward DNS lookup is the determination of an IP address from a domain name.

134. Which of the following is a DNS server that takes URL requests from users and checks the records attained from authoritative DNS servers for the associated IP address?

- 1. Master Name Servers 2. Recursive DNS server
- 3. Slave Name Servers 4. All of these
- 5. None of these

Recursive DNS server is a DNS server that takes URL requests from users and checks the records attained from authoritative DNS servers for the associated IP address

135. Which of the following obtains information from another server or a Zone Master in response to a host query and then saves the data locally?

- 1.Master Name Servers 2.Stealth Name server
- 3. Slave Name Servers 4. Forwarding Name Server

5. Caching Name Servers

Caching Name Servers obtains information from another server or a Zone Master in response to a host query and then saves the data locally?

136. Which of the following is also known as DMZ or Hidden Master?

1.Master Name Servers 2.Stealth Name server

3. Slave Name Servers 4. Forwarding Name Server

5. Caching Name Server

Stealth Name server is also known as DMZ or Hidden Master.

137. Which of the following is also known as Resolver?

1.Master Name Servers 2.Stealth Name server

3. Slave Name Servers 4. Forwarding Name Server

5. Caching Name Server

Caching Name Server is also known as Resolver

138. Which of the following is also known as Proxy Server?

1.Master Name Servers 2.Stealth Name server

3. Slave Name Servers **4. Forwarding Name Server**

5. Caching Name Server

Forwarding Name Server is also known as Proxy Server.

139. Which of the following is a server that acts as an intermediary for requests from clients seeking resources from other servers?

1.Master Name Servers

2.Stealth Name server

3.Slave Name Servers

4.Proxy Server

5. Caching Name Server

Proxy Server is a server that acts as an intermediary for requests from clients seeking resources from other servers

140. Which of the following is also known as Slave Name Servers?

1.Master Name Servers

2.Stealth Name server

3.Secondary Servers

4.Proxy Server

5. Caching Name Server

Secondary Servers is also known as Slave Name Servers

> Want to pass - sources **Everywhere** Want a job - resources At MSB

Visit www.maruthischoolofbanking.com For Answer Key and more Updated Materials